

Injury. 2015 Nov;46(11):2185-9. doi: 10.1016/j.injury.2015.06.036. Epub 2015 Jul 3.
Clinical indications of computed tomography (CT) of the head in patients with low-energy geriatric hip fractures.

[Maniar H1](#), [McPhillips K1](#), [Torres D2](#), [Wild J2](#), [Suk M1](#), [Horwitz DS3](#)

J Am Acad Orthop Surg. 2016 Jun;24(6):e50-8. doi: 10.5435/JAAOS-D-15-00325.

Nail Length in the Management of Intertrochanteric Fracture of the Femur.

[Horwitz DS1](#), [Tawari A](#), [Suk M](#).

J Orthop Trauma. 2016 Dec;30(12):687-690.

The Role of Radiographs and Office Visits in the Follow-Up of Healed Intertrochanteric Hip Fractures: An Economic Analysis.

[Kempegowda H1](#), [Richard R](#), [Borade A](#), [Tawari A](#), [Howenstein AM](#), [Kubiak EN](#), [Suk M](#), [Horwitz DS](#).

Injury. 2016 Dec;47(12):2755-2759. doi: 10.1016/j.injury.2016.10.011. Epub 2016 Oct 17.

Improvement in osteoporosis detection in a fracture liaison service with integration of a geriatric hip fracture care program.

[Borade A1](#), [Kempegowda H1](#), [Tawari A1](#), [Suk M1](#), [Horwitz DS2](#).

Osteoporos Int. 2017 Jan;28(1):269-277. doi: 10.1007/s00198-016-3711-7. Epub 2016 Jul 21.

Improved 1-year mortality in elderly patients with a hip fracture following integrated orthogeriatric treatment.

[Folbert EC¹](#), [Hegeman JH²](#), [Vermeer M³](#), [Regtuijt EM⁴](#), [van der Velde D²](#), [Ten Duis HJ⁵](#), [Slaets JP⁶](#).

Stud Health Technol Inform. 2015;210:469-73.

Feasibility of post-acute hip fracture telerehabilitation in older adults.

[Bedra M¹](#), [Finkelstein J¹](#)