

Efficacy of Autografts: Do Harvest Sites Matter?

Bone Grafting Symposium, Orthopaedic Trauma Association Basic Science Focus Forum 2013

TYPES OF AUTOGRAFT

- Autogenous Cancellous Bone
 - Iliac Crest (anterior or posterior)
 - Others (distal femur, proximal tibia, distal tibia, proximal humerus, distal radius)
- Autogenous Cortical Bone
- Autogenous Bone Marrow
- Intramedullary Reamings (RIA)
- Vascularized Grafts (fibula, iliac crest, rib)

CRITERIA FOR EVALUATING A BONE GRAFT

- **Critical Components of Fracture Healing**
 - Osteoconduction
 - Osteoinduction
 - Osteogenesis
 - Vascularity
- **Volume of graft obtainable**
- **Structural support**
- **Clinical Results**
- **Morbidity/Complications** associated with Harvest
- **Cost**

'THE GOLD STANDARD': AUTOGENOUS ILIAC CREST BONE GRAFT (AICBG)

- Contains all three of the critical components of fracture healing (osteoconduction, osteoinduction, and osteogenesis)
- Emerging evidence suggesting it also contains factors and cells that stimulate angiogenesis/vascularity (EPCs, VEGF, HIF1 α)^{1,2}
- In terms of volume of graft, the crest is superior to other conventional sites of harvest

'THE NEW STANDARD': REAMER-IRRIGATOR ASPIRATOR[®] (RIA)

- A novel system for harvesting intramedullary reamings from the canal of the femur or tibia
- Emerging basic science evidence suggests that RIA possesses equivalent osteoconduction and angiogenic properties to AICBG with potentially superior osteoinductive and osteogenic properties¹⁻³

Efficacy of Autografts: Do Harvest Sites Matter?

Bone Grafting Symposium, Orthopaedic Trauma Association Basic Science Focus Forum 2013

- The clinical evidence to date suggests the RIA harvest can produce larger volumes of graft with potentially less harvest site morbidity and, in particular, pain when compared to AICBG⁴⁻⁷
- The clinical evidence regarding RIA is currently limited to level IV studies and a single retrospective comparative study, suggesting that more investigation is needed
- The implant costs associated with RIA are an issue

RIA VERSUS AIBG

	RIA	AICBG
Osteoconduction	YES	YES
Osteoinduction	↑ BMPs, TGF, total protein	↓
Osteogenesis	↑ MSCs and osteogenic potential	↓
Angiogenesis	↑ EPCs	↑ VEGF and HIF1α
Volume	58 cc's (range 40.3-68)	30 cc's (range 5-72)
Major Complication	3.4%	4%
Minor Complications	2.6%	15.4%
Harvest Site Pain	Lower Acute/Int/Chronic	Higher Acute/Int/Chronic
Clinical Results	85-90% success	75-98% success
Implant Costs	~1100 (CAD)	~30 (CAD)

CONCLUSIONS

- With regard to conventional grafting sites, the Iliac Crest remains the preferred source
- There is mounting clinical and basic science evidence suggesting that RIA is an effective alternative to AICBG
- Prospective comparison of RIA and AICBG (including economic evaluation) is warranted

Efficacy of Autografts: Do Harvest Sites Matter?

Bone Grafting Symposium, Orthopaedic Trauma Association Basic Science Focus Forum 2013

REFERENCES

1. Henrich D, Seebach C, Sterlepper E, Tauchmann C, Marzi I, Frank J. RIA reamings and hip aspirate: a comparative evaluation of osteoprogenitor and endothelial progenitor cells. *Injury*. Nov 2010;41 Suppl 2:S62-68.
2. Sagi HC, Young ML, Gerstenfeld L, Einhorn TA, Tornetta P. Qualitative and quantitative differences between bone graft obtained from the medullary canal (with a Reamer/Irrigator/Aspirator) and the iliac crest of the same patient. *J Bone Joint Surg Am*. Dec 5 2012;94(23):2128-2135.
3. Schmidmaier G, Herrmann S, Green J, et al. Quantitative assessment of growth factors in reaming aspirate, iliac crest, and platelet preparation. *Bone*. Nov 2006;39(5):1156-1163.
4. Belthur MV, Conway JD, Jindal G, Ranade A, Herzenberg JE. Bone graft harvest using a new intramedullary system. *Clin Orthop Relat Res*. Dec 2008;466(12):2973-2980.
5. Stafford PR, Norris BL. Reamer-irrigator-aspirator bone graft and bi Masquelet technique for segmental bone defect nonunions: a review of 25 cases. *Injury*. Nov 2010;41 Suppl 2:S72-77.
6. McCall TA, Brokaw DS, Jelen BA, et al. Treatment of large segmental bone defects with reamer-irrigator-aspirator bone graft: technique and case series. *Orthop Clin North Am*. Jan 2010;41(1):63-73; table of contents.
7. Dimitriou R, Mataliotakis GI, Angoules AG, Kanakaris NK, Giannoudis PV. Complications following autologous bone graft harvesting from the iliac crest and using the RIA: a systematic review. *Injury*. Sep 2011;42 Suppl 2:S3-15.